

Legacy Products List

Note: See availability and EOL (End of Life) notes below in red.

Product Part #	Product Type	Ports						IP Rating	Temp Rating	Details	Availability
		Total Eth	10/100 RJ45	Gig RJ45	100 Fiber	Gig Fiber	PoE				

These Slim Line Managed Switches are Now Available as SLX (Wide Temperature) Only

This change takes affect immediately. Orders for SL will be automatically upgraded to SLX.

Product #	Type	Total	10/100	Gig	100F	GigF	PoE	IP	Temp	Details	Avail.
SL-5MS-MDM-1	Switch, man.	5	5	-	-	-	-	IP30	-40/75	Integrated land-line modem (VT-MODEM-1WWW)	-
SL-5MS-MDM-xx	Switch, man.	5	4 or 3	-	1 or 2	-	-	IP30	-40/75	Special or long haul fiber (up to 120 km) - call	-
SL-5MS-1	Switch, man.	5	5	-	-	-	-	IP30	-10/60	Slim packaging for DIN rail or panel mounting	-
SL-5MS-4SC	Switch, man.	5	3	-	2	-	-	IP30	-10/60	Multimode SC fiber (4 km)	-
SL-5MS-4ST	Switch, man.	5	3	-	2	-	-	IP30	-10/60	Multimode ST fiber (4 km)	-
SL-5MS-5SC	Switch, man.	5	3	-	2	-	-	IP30	-10/60	Singlemode SC fiber (20 km)	-
SL-5MS-5ST	Switch, man.	5	3	-	2	-	-	IP30	-10/60	Singlemode ST fiber (20 km)	-
SL-5MS-5SCL	Switch, man.	5	3	-	2	-	-	IP30	-10/60	Singlemode SC fiber (40 km)	-
SL-5MS-5STL	Switch, man.	5	3	-	2	-	-	IP30	-10/60	Singlemode ST fiber (40 km)	-
SL-5MS-xxxx	Switch, man.	5	3	-	2	-	-	IP30	-10/60	Special or long haul fiber (up to 120 km) - call	-
SL-8MS-1	Switch, man.	8	8	-	-	-	-	IP30	-10/60	Slim packaging for DIN rail or panel mounting	-
SL-8MS-4SC	Switch, man.	8	6	-	2	-	-	IP30	-10/60	Multimode SC fiber (4 km)	-
SL-8MS-4ST	Switch, man.	8	6	-	2	-	-	IP30	-10/60	Multimode ST fiber (4 km)	-
SL-8MS-5SC	Switch, man.	8	6	-	2	-	-	IP30	-10/60	Singlemode SC fiber (20 km)	-
SL-8MS-5ST	Switch, man.	8	6	-	2	-	-	IP30	-10/60	Singlemode ST fiber (20 km)	-
SL-8MS-5SCL	Switch, man.	8	6	-	2	-	-	IP30	-10/60	Singlemode SC fiber (40 km)	-
SL-8MS-5STL	Switch, man.	8	6	-	2	-	-	IP30	-10/60	Singlemode ST fiber (40 km)	-
SL-8MS-xxxx	Switch, man.	8	6	-	2	-	-	IP30	-10/60	Special or long haul fiber (up to 120 km) - call	-
SL-8MS-8SC	Switch, man.	8	4	-	4	-	-	IP30	-10/60	Multimode SC fiber (4 km)	-
SL-8MS-8ST	Switch, man.	8	4	-	4	-	-	IP30	-10/60	Multimode ST fiber (4 km)	-
SL-8MS-9SC	Switch, man.	8	4	-	4	-	-	IP30	-10/60	Singlemode SC fiber (20 km)	-
SL-8MS-9ST	Switch, man.	8	4	-	4	-	-	IP30	-10/60	Singlemode ST fiber (20 km)	-
SL-8MS-9SCL	Switch, man.	8	4	-	4	-	-	IP30	-10/60	Singlemode SC fiber (40 km)	-
SL-8MS-9STL	Switch, man.	8	4	-	4	-	-	IP30	-10/60	Singlemode ST fiber (40 km)	-
SL-8MS-xxxx	Switch, man.	8	4	-	4	-	-	IP30	-10/60	Special or long haul fiber (up to 120 km) - call	-
SL-8MG-1	Switch, man.	8	-	8	-	4*	-	IP30	-40/75	* Order SFP transceivers separately; see below	-

These Slim Line Unmanaged Switches are Now Available as SLX (Wide Temperature) Only

This change takes affect immediately. Orders for SL will be automatically upgraded to SLX.

Product #	Type	Total	10/100	Gig	100F	GigF	PoE	IP	Temp	Details	Avail.
SL-8ES-6SC	Switch, unman.	8	5	-	3	-	-	IP30	-10/60	Multimode SC fiber (4 km)	-
SL-8ES-6ST	Switch, unman.	8	5	-	3	-	-	IP30	-10/60	Multimode ST fiber (4 km)	-
SL-8ES-7SC	Switch, unman.	8	5	-	3	-	-	IP30	-10/60	Singlemode SC fiber (20 km)	-
SL-8ES-7ST	Switch, unman.	8	5	-	3	-	-	IP30	-10/60	Singlemode ST fiber (20 km)	-
SL-8ES-7SCL	Switch, unman.	8	5	-	3	-	-	IP30	-10/60	Singlemode SC fiber (40 km)	-
SL-8ES-7STL	Switch, unman.	8	5	-	3	-	-	IP30	-10/60	Singlemode ST fiber (40 km)	-
SL-8ES-xxxx	Switch, unman.	8	5	-	3	-	-	IP30	-10/60	Special or long haul fiber (up to 120 km) - call	-

Legacy ET Series Real-Time-Ring™ Switches - Replaced by Slim Line Series (SLX-...)

Last time buy: Must place order by Dec 31, 2009 for delivery before Dec 31, 2010

Product #	Type	Total	10/100	Gig	100F	GigF	PoE	IP	Temp	Details	Avail.
ET-5RS-1-E1	Switch, ring	5	5	-	-	-	-	IP30	-40/85	Low profile for DIN rail or panel mounting	-
ET-5RS-2SC-E1	Switch, ring	5	4	-	1	-	-	IP30	-40/85	Multimode SC fiber (4 km)	-
ET-5RS-2ST-E1	Switch, ring	5	4	-	1	-	-	IP30	-40/85	Multimode ST fiber (4 km)	-
ET-5RS-3SC-E1	Switch, ring	5	4	-	1	-	-	IP30	-40/85	Singlemode SC fiber (20 km)	-

ET-5RS-3ST-E1	Switch, ring	5	4	-	1	-	-	IP30	-40/85	Singlemode ST fiber (20 km)	-
ET-5RS-3SCL-E1	Switch, ring	5	4	-	1	-	-	IP30	-40/85	Singlemode SC fiber (40 km)	-
ET-5RS-3STL-E1	Switch, ring	5	4	-	1	-	-	IP30	-40/85	Singlemode ST fiber (40 km)	-
ET-5RS-xxxx-E1	Switch, ring	5	4	-	1	-	-	IP30	-40/85	Special or long haul fiber (up to 120 km) - call	-
ET-5RS-4SC-E1	Switch, ring	5	3	-	2	-	-	IP30	-40/85	Multimode SC fiber (4 km)	-
ET-5RS-4ST-E1	Switch, ring	5	3	-	2	-	-	IP30	-40/85	Multimode ST fiber (4 km)	-
ET-5RS-5SC-E1	Switch, ring	5	3	-	2	-	-	IP30	-40/85	Singlemode SC fiber (20 km)	-
ET-5RS-5ST-E1	Switch, ring	5	3	-	2	-	-	IP30	-40/85	Singlemode ST fiber (20 km)	-
ET-5RS-5SCL-E1	Switch, ring	5	3	-	2	-	-	IP30	-40/85	Singlemode SC fiber (40 km)	-
ET-5RS-5STL-E1	Switch, ring	5	3	-	2	-	-	IP30	-40/85	Singlemode ST fiber (40 km)	-
ET-5RS-xxxx-E1	Switch, ring	5	3	-	2	-	-	IP30	-40/85	Special or long haul fiber (up to 120 km) - call	-
ET-9RS-1-E1	Switch, ring	9	9	-	-	-	-	IP30	-40/85	Low profile for DIN rail or panel mounting	-
ET-9RS-2SC-E1	Switch, ring	9	8	-	1	-	-	IP30	-40/85	Multimode SC fiber (4 km)	-
ET-9RS-2ST-E1	Switch, ring	9	8	-	1	-	-	IP30	-40/85	Multimode ST fiber (4 km)	-
ET-9RS-3SC-E1	Switch, ring	9	8	-	1	-	-	IP30	-40/85	Singlemode SC fiber (20 km)	-
ET-9RS-3ST-E1	Switch, ring	9	8	-	1	-	-	IP30	-40/85	Singlemode ST fiber (20 km)	-
ET-9RS-3SCL-E1	Switch, ring	9	8	-	1	-	-	IP30	-40/85	Singlemode SC fiber (40 km)	-
ET-9RS-3STL-E1	Switch, ring	9	8	-	1	-	-	IP30	-40/85	Singlemode ST fiber (40 km)	-
ET-9RS-xxxx-E1	Switch, ring	9	8	-	1	-	-	IP30	-40/85	Special or long haul fiber (up to 120 km) - call	-
ET-9RS-4SC-E1	Switch, ring	9	7	-	2	-	-	IP30	-40/85	Multimode SC fiber (4 km)	-
ET-9RS-4ST-E1	Switch, ring	9	7	-	2	-	-	IP30	-40/85	Multimode ST fiber (4 km)	-
ET-9RS-5SC-E1	Switch, ring	9	7	-	2	-	-	IP30	-40/85	Singlemode SC fiber (20 km)	-
ET-9RS-5ST-E1	Switch, ring	9	7	-	2	-	-	IP30	-40/85	Singlemode ST fiber (20 km)	-
ET-9RS-5SCL-E1	Switch, ring	9	7	-	2	-	-	IP30	-40/85	Singlemode SC fiber (40 km)	-
ET-9RS-5STL-E1	Switch, ring	9	7	-	2	-	-	IP30	-40/85	Singlemode ST fiber (40 km)	-
ET-9RS-xxxx-E1	Switch, ring	9	7	-	2	-	-	IP30	-40/85	Special or long haul fiber (up to 120 km) - call	-
ET-9RG-1-D1	Switch, ring	9	6	3	-	-	-	IP30	-40/85	Low profile for DIN rail or panel mounting	-
ET-9RG-F-D1	Switch, ring	9	6	1	-	2*	-	IP30	-40/85	* Order SFP transceivers separately; see page 2	-

Legacy ET Series Managed Switches - Replaced by Slim Line Series (part # SLX-...)

Last time buy: Must place order by Dec 31, 2009 for delivery before Dec 31, 2010

Product #	Type	Total	10/100	Gig	100F	GigF	PoE	IP	Temp	Details	Avail.
ET-5MS-MDM-1	Switch, man.	5	5	-	-	-	-	IP30	-40/75	Integrated land-line modem (VT-MODEM-1WW)	-
ET-5MS-MDM-xx	Switch, man.	5	4 or 3	-	1 or 2	-	-	IP30	-40/75	Special or long haul fiber (up to 120 km) - call	-
ET-5MS-1	Switch, man.	5	5	-	-	-	-	IP30	-40/75	Low profile for DIN rail or panel mounting	-
ET-5MS-2SC	Switch, man.	5	4	-	1	-	-	IP30	-40/75	Multimode SC fiber (4 km)	-
ET-5MS-2ST	Switch, man.	5	4	-	1	-	-	IP30	-40/75	Multimode ST fiber (4 km)	-
ET-5MS-3SC	Switch, man.	5	4	-	1	-	-	IP30	-40/75	Singlemode SC fiber (20 km)	-
ET-5MS-3ST	Switch, man.	5	4	-	1	-	-	IP30	-40/75	Singlemode ST fiber (20 km)	-
ET-5MS-3SCL	Switch, man.	5	4	-	1	-	-	IP30	-40/75	Singlemode SC fiber (40 km)	-
ET-5MS-3STL	Switch, man.	5	4	-	1	-	-	IP30	-40/75	Singlemode ST fiber (40 km)	-
ET-5MS-xxxx	Switch, man.	5	4	-	1	-	-	IP30	-40/75	Special or long haul fiber (up to 120 km) - call	-
ET-5MS-4SC	Switch, man.	5	3	-	2	-	-	IP30	-40/75	Multimode SC fiber (4 km)	-
ET-5MS-4ST	Switch, man.	5	3	-	2	-	-	IP30	-40/75	Multimode ST fiber (4 km)	-
ET-5MS-5SC	Switch, man.	5	3	-	2	-	-	IP30	-40/75	Singlemode SC fiber (20 km)	-
ET-5MS-5ST	Switch, man.	5	3	-	2	-	-	IP30	-40/75	Singlemode ST fiber (20 km)	-
ET-5MS-5SCL	Switch, man.	5	3	-	2	-	-	IP30	-40/75	Singlemode SC fiber (40 km)	-
ET-5MS-5STL	Switch, man.	5	3	-	2	-	-	IP30	-40/75	Singlemode ST fiber (40 km)	-
ET-5MS-xxxx	Switch, man.	5	3	-	2	-	-	IP30	-40/75	Special or long haul fiber (up to 120 km) - call	-
ET-9MS-1	Switch, man.	9	9	-	-	-	-	IP30	-40/75	Low profile for DIN rail or panel mounting	-
ET-9MS-2SC	Switch, man.	9	8	-	1	-	-	IP30	-40/75	Multimode SC fiber (4 km)	-
ET-9MS-2ST	Switch, man.	9	8	-	1	-	-	IP30	-40/75	Multimode ST fiber (4 km)	-
ET-9MS-3SC	Switch, man.	9	8	-	1	-	-	IP30	-40/75	Singlemode SC fiber (20 km)	-
ET-9MS-3ST	Switch, man.	9	8	-	1	-	-	IP30	-40/75	Singlemode ST fiber (20 km)	-
ET-9MS-3SCL	Switch, man.	9	8	-	1	-	-	IP30	-40/75	Singlemode SC fiber (40 km)	-
ET-9MS-3STL	Switch, man.	9	8	-	1	-	-	IP30	-40/75	Singlemode ST fiber (40 km)	-
ET-9MS-xxxx	Switch, man.	9	8	-	1	-	-	IP30	-40/75	Special or long haul fiber (up to 120 km) - call	-
ET-9MS-4SC	Switch, man.	9	7	-	2	-	-	IP30	-40/75	Multimode SC fiber (4 km)	-
ET-9MS-4ST	Switch, man.	9	7	-	2	-	-	IP30	-40/75	Multimode ST fiber (4 km)	-
ET-9MS-5SC	Switch, man.	9	7	-	2	-	-	IP30	-40/75	Singlemode SC fiber (20 km)	-

ET-9MS-5ST	Switch, man.	9	7	-	2	-	-	IP30	-40/75	Singlemode ST fiber (20 km)	-
ET-9MS-5SCL	Switch, man.	9	7	-	2	-	-	IP30	-40/75	Singlemode SC fiber (40 km)	-
ET-9MS-5STL	Switch, man.	9	7	-	2	-	-	IP30	-40/75	Singlemode ST fiber (40 km)	-
ET-9MS-xxxx	Switch, man.	9	7	-	2	-	-	IP30	-40/75	Special or long haul fiber (up to 120 km) - call	-
ET-9MG-1	Switch, man.	9	6	3	-	-	-	IP30	-40/75	Three 10/100/1000 RJ45 ports on-board	-
ET-9MG-F	Switch, man.	9	6	1	-	2*	-	IP30	-40/75	* Order SFP transceivers separately	-
ET-10MG-1	Switch, man.	10	8	2	-	2*	-	IP30	-40/75	* Order SFP transceivers separately	-
ET-16MS-1	Switch, man.	16	16	-	-	-	-	IP30	-40/75	EI style packaging for DIN rail or panel mounting	-
ET-18MG-1	Switch, man.	18	16	2	-	2*	-	IP30	-40/75	* Order SFP transceivers separately	-

Legacy RK Series Rack Mount Switches - Replaced by EK Series (part # EK...)

Last time buy: Must place order by Dec 31, 2009 for delivery before Dec 31, 2010

Product #	Type	Total	10/100	Gig	100F	GigF	PoE	IP	Temp	Details	Avail.
RK16	Switch, man.	16	16	8	16	8	8	IP30	-20/70	* See separate ordering/pricing guide for details	-
RK25	Switch, man.	25	24	4	24	4	8	IP30	-20/70	* See separate ordering/pricing guide for details	-
RK32	Switch, man.	32	32	8	16	8	8	IP30	-20/70	* See separate ordering/pricing guide for details	-

Legacy ET Series Unmanaged Switches - Replaced by Slim Line Series (part # SLX...)

Last time buy: Must place order by Dec 31, 2009 for delivery before Dec 31, 2010

Product #	Type	Total	10/100	Gig	100F	GigF	PoE	IP	Temp	Details	Avail.
ET-GT-3ES-2SC	Switch,converter	3	2	-	1	-	-	IP30	-40/85	Multimode SC fiber (4 km)	-
ET-GT-3ES-2ST	Switch,converter	3	2	-	1	-	-	IP30	-40/85	Multimode ST fiber (4 km)	-
ET-GT-3ES-3SC	Switch,converter	3	2	-	1	-	-	IP30	-40/85	Singlemode SC fiber (20 km)	-
ET-GT-3ES-3ST	Switch,converter	3	2	-	1	-	-	IP30	-40/85	Singlemode ST fiber (20 km)	-
ET-GT-3ES-3SCL	Switch,converter	3	2	-	1	-	-	IP30	-40/85	Singlemode SC fiber (40 km)	-
ET-GT-3ES-3STL	Switch,converter	3	2	-	1	-	-	IP30	-40/85	Singlemode ST fiber (40 km)	-
ET-GT-3ES-xxxx	Switch,converter	3	2	-	1	-	-	IP30	-40/85	Special or long haul fiber (up to 120 km) - call	-
ET-5ES-1	Switch, unman.	5	5	-	-	-	-	IP30	-40/85	Low profile for DIN rail or panel mounting	-
ET-5ES-2SC	Switch, unman.	5	4	-	1	-	-	IP30	-40/85	Multimode SC fiber (4 km)	-
ET-5ES-2ST	Switch, unman.	5	4	-	1	-	-	IP30	-40/85	Multimode ST fiber (4 km)	-
ET-5ES-3SC	Switch, unman.	5	4	-	1	-	-	IP30	-40/85	Singlemode SC fiber (20 km)	-
ET-5ES-3ST	Switch, unman.	5	4	-	1	-	-	IP30	-40/85	Singlemode ST fiber (20 km)	-
ET-5ES-3SCL	Switch, unman.	5	4	-	1	-	-	IP30	-40/85	Singlemode SC fiber (40 km)	-
ET-5ES-3STL	Switch, unman.	5	4	-	1	-	-	IP30	-40/85	Singlemode ST fiber (40 km)	-
ET-5ES-xxxx	Switch, unman.	5	4	-	1	-	-	IP30	-40/85	Special or long haul fiber (up to 120 km) - call	-
ET-5ES-4SC	Switch, unman.	5	3	-	2	-	-	IP30	-40/85	Multimode SC fiber (4 km)	-
ET-5ES-4ST	Switch, unman.	5	3	-	2	-	-	IP30	-40/85	Multimode ST fiber (4 km)	-
ET-5ES-5SC	Switch, unman.	5	3	-	2	-	-	IP30	-40/85	Singlemode SC fiber (20 km)	-
ET-5ES-5ST	Switch, unman.	5	3	-	2	-	-	IP30	-40/85	Singlemode ST fiber (20 km)	-
ET-5ES-5SCL	Switch, unman.	5	3	-	2	-	-	IP30	-40/85	Singlemode SC fiber (40 km)	-
ET-5ES-5STL	Switch, unman.	5	3	-	2	-	-	IP30	-40/85	Singlemode ST fiber (40 km)	-
ET-5ES-xxxx	Switch, unman.	5	3	-	2	-	-	IP30	-40/85	Special or long haul fiber (up to 120 km) - call	-
ET-GT-9ES-1	Switch, unman.	9	9	-	-	-	-	IP30	-40/85	Low profile for DIN rail or panel mounting	-
ET-GT-9ES-2SC	Switch, unman.	9	8	-	1	-	-	IP30	-40/85	Multimode SC fiber (4 km)	-
ET-GT-9ES-2ST	Switch, unman.	9	8	-	1	-	-	IP30	-40/85	Multimode ST fiber (4 km)	-
ET-GT-9ES-3SC	Switch, unman.	9	8	-	1	-	-	IP30	-40/85	Singlemode SC fiber (20 km)	-
ET-GT-9ES-3ST	Switch, unman.	9	8	-	1	-	-	IP30	-40/85	Singlemode ST fiber (20 km)	-
ET-GT-9ES-3SCL	Switch, unman.	9	8	-	1	-	-	IP30	-40/85	Singlemode SC fiber (40 km)	-
ET-GT-9ES-3STL	Switch, unman.	9	8	-	1	-	-	IP30	-40/85	Singlemode ST fiber (40 km)	-
ET-GT-9ES-xxxx	Switch, unman.	9	8	-	1	-	-	IP30	-40/85	Special or long haul fiber (up to 120 km) - call	-

RJ-Field Reverse Bayonet Connectors - Replaced by Equivalent EB Models

This change takes affect immediately. Order newer part numbers instead.

Product #	Type	Total	10/100	Gig	100F	GigF	PoE	IP	Temp	Details	Avail.
ET-RJFRB-6	Cabling, misc	-	-	-	-	-	-	IP67	-40/85	use EB-RJF-PLUG-1 instead	-
ET-RJFRB-C7	Cabling, misc	-	-	-	-	-	-	IP67	-40/85	use EB-RJF-CAP-1 instead	-
ET-RJFRB-71	Cabling, misc	-	-	-	-	-	-	IP67	-40/85	use EB-RJF-BLKHD-1 instead	-

IP67 Industrial Ethernet Switch with RJ-Lnxx Threaded Connectors

Last time buy: Must place order by Dec 31, 2009 for delivery before Dec 31, 2010

Product #	Type	Total	10/100	Gig	100F	GigF	PoE	IP	Temp	Details	Avail.
EB-GT-8ES-1	Switch, unman.	8	8	-	-	-	-	IP67	-40/70	use EB-GT-8ES-1EP instead	-

Legacy Telephone Modems - Replaced by VT-MODEM-#WW (Worldwide model)

This change takes affect immediately. Orders for EC and US will be automatically upgraded to WW.

Product #	Type	Total	10/100	Gig	100F	GigF	PoE	IP	Temp	Details	Avail.
VT-MODEM-1EC	Modem, phone	-	-	-	-	-	-	IP30	-30/70	European modem w/ RS232 cable	-
VT-MODEM-1US	Modem, phone	-	-	-	-	-	-	IP30	-30/70	North American modem w/ RS232 cable	-
VT-MODEM-2EC	Modem, phone	-	-	-	-	-	-	IP30	-30/70	European Self-Dial modem w/ RS232 cable	-
VT-MODEM-2US	Modem, phone	-	-	-	-	-	-	IP30	-30/70	American Self-Dial modem w/ RS232 cable	-
VT-MODEM-3EC	Modem, phone	-	-	-	-	-	-	IP30	-30/70	European RS422/485 modem w/ RS232 cable	-
VT-MODEM-3US	Modem, phone	-	-	-	-	-	-	IP30	-30/70	N. American RS422/485 modem w/ RS232 cable	-
VT-MODEM-4EC	Modem, phone	-	-	-	-	-	-	IP30	-30/70	European Leased-line modem w/ RS232 cable	-
VT-MODEM-4US	Modem, phone	-	-	-	-	-	-	IP30	-30/70	N. American Leased-line modem w/ RS232 cable	-
VT-MODEM-5EC	Modem, phone	-	-	-	-	-	-	IP30	-30/70	European Advanced modem w/ RS232 cable	-
VT-MODEM-5US	Modem, phone	-	-	-	-	-	-	IP30	-30/70	N. American Advanced modem w/ RS232 cable	-

Legacy Cable and Cordsets - Replaced by the Etherbus Cable (part # EB-CAT5E-##)

These models are no longer available for order. Order EB-CAT5E instead.

Product #	Type	Total	10/100	Gig	100F	GigF	PoE	IP	Temp	Details	Avail.
ET-RJF5E-100B	Cabling, bulk	-	-	-	-	-	-	IP67	-40/75	Obsolete - replaced by the EB-CAT5E cable	-
ET-RJF5E-300B	Cabling, bulk	-	-	-	-	-	-	IP67	-40/75	Obsolete - replaced by the EB-CAT5E cable	-
ET-RJF5E-1C	Cabling, cordset	-	-	-	-	-	-	IP67	-40/75	Obsolete - replaced by the EB-CAT5E cable	-
ET-RJF5E-2C	Cabling, cordset	-	-	-	-	-	-	IP67	-40/75	Obsolete - replaced by the EB-CAT5E cable	-
ET-RJF5E-3C	Cabling, cordset	-	-	-	-	-	-	IP67	-40/75	Obsolete - replaced by the EB-CAT5E cable	-
ET-RJF5E-4C	Cabling, cordset	-	-	-	-	-	-	IP67	-40/75	Obsolete - replaced by the EB-CAT5E cable	-
ET-RJF5E-6C	Cabling, cordset	-	-	-	-	-	-	IP67	-40/75	Obsolete - replaced by the EB-CAT5E cable	-
ET-RJF5E-8C	Cabling, cordset	-	-	-	-	-	-	IP67	-40/75	Obsolete - replaced by the EB-CAT5E cable	-
ET-RJF5E-10C	Cabling, cordset	-	-	-	-	-	-	IP67	-40/75	Obsolete - replaced by the EB-CAT5E cable	-
ET-RJF5E-16C	Cabling, cordset	-	-	-	-	-	-	IP67	-40/75	Obsolete - replaced by the EB-CAT5E cable	-
ET-RJF5E-24C	Cabling, cordset	-	-	-	-	-	-	IP67	-40/75	Obsolete - replaced by the EB-CAT5E cable	-
ET-RJF5E-30C	Cabling, cordset	-	-	-	-	-	-	IP67	-40/75	Obsolete - replaced by the EB-CAT5E cable	-

Legacy Unmanaged Switch - Replaced by Slim Line Series (part # SLX-5ES-##)

Last time buy: Must place order by Dec 31, 2009 for delivery before Dec 31, 2010

Product #	Type	Total	10/100	Gig	100F	GigF	PoE	IP	Temp	Details	Avail.
ET-GT-5ES-1	Switch, unman.	5	5	-	-	-	-	IP30	-40/85	Obsolete - replaced by ET-5ES, 5RS or SL-5ES	-
ET-GT-5ES-2SC	Switch, unman.	5	4	-	1	-	-	IP30	-40/85	Obsolete - replaced by ET-5ES, 5RS or SL-5ES	-
ET-GT-5ES-2ST	Switch, unman.	5	4	-	1	-	-	IP30	-40/85	Obsolete - replaced by ET-5ES, 5RS or SL-5ES	-
ET-GT-5ES-3SC	Switch, unman.	5	4	-	1	-	-	IP30	-40/85	Obsolete - replaced by ET-5ES, 5RS or SL-5ES	-
ET-GT-5ES-3ST	Switch, unman.	5	4	-	1	-	-	IP30	-40/85	Obsolete - replaced by ET-5ES, 5RS or SL-5ES	-
ET-GT-5ES-3SCL	Switch, unman.	5	4	-	1	-	-	IP30	-40/85	Obsolete - replaced by ET-5ES, 5RS or SL-5ES	-
ET-GT-5ES-3STL	Switch, unman.	5	4	-	1	-	-	IP30	-40/85	Obsolete - replaced by ET-5ES, 5RS or SL-5ES	-
ET-GT-5ES-4SC	Switch, unman.	5	3	-	2	-	-	IP30	-40/85	Obsolete - replaced by ET-5ES, 5RS or SL-5ES	-
ET-GT-5ES-4ST	Switch, unman.	5	3	-	2	-	-	IP30	-40/85	Obsolete - replaced by ET-5ES, 5RS or SL-5ES	-
ET-GT-5ES-5SC	Switch, unman.	5	3	-	2	-	-	IP30	-40/85	Obsolete - replaced by ET-5ES, 5RS or SL-5ES	-
ET-GT-5ES-5ST	Switch, unman.	5	3	-	2	-	-	IP30	-40/85	Obsolete - replaced by ET-5ES, 5RS or SL-5ES	-
ET-GT-5ES-5SCL	Switch, unman.	5	3	-	2	-	-	IP30	-40/85	Obsolete - replaced by ET-5ES, 5RS or SL-5ES	-
ET-GT-5ES-5STL	Switch, unman.	5	3	-	2	-	-	IP30	-40/85	Obsolete - replaced by ET-5ES, 5RS or SL-5ES	-

Legacy SFP (Pluggable) Fiber Transceivers - Replaced by Newer Models with Longer Distances

These models are no longer available for order. Order newer models instead.

Product #	Type	Total	100F	GigF	IP	Temp	Details	Avail.
FSFIBER-SFP-20K	Fiber, 100Mb	1	-	1	IP30	-40/85	100Mb, SFP/LC, singlemode, 1310nm, 20km typical	-
FSFIBER-SFP-50K	Fiber, 100Mb	1	-	1	IP30	-40/85	100Mb, SFP/LC, singlemode, 1310nm, 50km typical	-
FSFIBER-SFP-80K	Fiber, 100Mb	1	-	1	IP30	-40/85	100Mb, SFP/LC, singlemode, 1550nm, 80km typical	-

Legacy Power Supply - Replaced by ST-PS-024-05**These models are no longer available for order.**

Product #	Type	Total	10/100	Gig	100F	GigF	PoE	IP	Temp	Details	Avail.
ST-PS-024-02N		-	-	-	-	-	-	IP30	-30/70	Obsolete - replaced by the ST-PS-024-05	-